



Aqua Glass Deep

Available finishes

Frost
Snow
Rock
Seafoam

Assembly

Aqua Vessel assembly includes;

- Chrome pop-up waste
- Rubber seals
- Chrome locknuts
- Chrome spacer

Cleaning

Glass - Clean with warm soapy water, or non acidic, mild detergent and a soft cloth. Finish by cleaning off detergents with a soft wet cloth and towel dry.

Recommended fittings and set up



Ulisse 5* 32 x 200/250 mm wall outlet
Ulisse 5* 25 X 200/250 mm wall outlet
Ulisse 5* 25 x 350 mm hob outlet
Ulisse 5* 32 x 390 mm hob outlet
Please note - Use an outlet that uses 5-7 litres per minute.
For best results the water should fall at a 90 degree angle,
directly down onto the vessel.

Important

This is not an installation guide.
Please contact OMVIVO for technical details.
Product specifications are subject to alteration without notice.

©OMVIVO Pty Ltd. 1993.

Assembly



design Joseph Licciardi

OMVIVO

Omviso Pty Ltd Schiavello Complex T: + 61 3 9339 8130
1 Sharps Road Tullamarine F: + 61 3 9330 8611
Victoria Australia 3043 info@omvivo.com

www.omvivo.com

Note: due to varying manufacturing methods, the dimensions illustrated here are nominal and subject to change.
Omviso has detailed, to the best of its ability, the most approximate measurement possible for each product
given the method of manufacturing used.



Aqua Glass Shallow

Available finishes

Frost
Snow
Rock
Seafoam
Chiaro clear (shallow only)

Assembly

Aqua Vessel assembly includes;

- Chrome pop-up waste
- Rubber seals
- Chrome locknuts
- Chrome spacer

Cleaning

Glass - Clean with warm soapy water, or non acidic, mild detergent and a soft cloth. Finish by cleaning off detergents with a soft wet cloth and towel dry.

Recommended fittings and set up



Ulisse 5* 32 x 200/250 mm wall outlet
Ulisse 5* 25 X 200/250 mm wall outlet
Ulisse 5* 25 x 350 mm hob outlet
Ulisse 5* 32 x 390 mm hob outlet
Please note - Use an outlet that uses 5-7 litres per minute.
For best results the water should fall at a 90 degree angle,
directly down onto the vessel.

Important

This is not an installation guide.
Please contact OMVIVO for technical details.
Product specifications are subject to alteration without notice.

©OMVIVO Pty Ltd. 1993.

Assembly



Note: Chiaro clear dimensions \varnothing 495 mm x 70 mm



design Joseph Licciardi

OMVIVO

Omviso Pty Ltd Schiavello Complex T: + 61 3 9339 8130
1 Sharps Road Tullamarine F: + 61 3 9330 8611
Victoria Australia 3043 info@omvivo.com

www.omvivo.com

Note: due to varying manufacturing methods, the dimensions illustrated here are nominal and subject to change.
Omviso has detailed, to the best of its ability, the most approximate measurement possible for each product
given the method of manufacturing used.

edition two